





dmerec[®] your moment



VAPORES & SAUNAS





AMEREC

CONTENT

Introduction

RESIDENTIAL STEAM GENERATORS AND CONTROLS

9

AK Generator 12
Control units 14
AV Vapormist 16

RESIDENTIAL STEAM BATH ACCESSORIES

Accessories 18

COMMERCIAL STEAM GENERATORS

3K Series 20 Al Series 22

COMMERCIAL STEAM BATH CONTROLS AND ACCESSORIES

Controls and accessories 24

MODULAR ACRYLIC STEAM ROOMS

Steam rooms 26



STOP TIME

Living in the moment

It is the catch-22 of modern living: to be able to do it all, you need to find the time to pamper yourself with the luxury of doing nothing at all. Time is the measure of our lives. We all need to feel, even if only briefly during the day, that its power holds no sway.

A luxurious bath of Amerec steam every day offers just that. Lost in its clouds, you are free to follow an aimless thought. Re-attune yourself to the rhythms of your own body. Put the past day's events into perspective, or charge up for what the coming day will bring. Time has no power here.

COMFORTING HEAT

For the modern life

For many, the days of hard physical labor may be past. But the stresses of modern life and work more than make up for it. Steam bathing may have originated in Roman times, but its benefits have never been more relevant.

A daily steam bath is a remarkable way to indulge yourself. It causes the perspiration that is the single healthiest thing you can do for your skin. Stress and negativity quickly dissipate in the soft clouds of intense yet comforting heat. Within minutes, you are yourself again, cleaner, vibrant and more whole.



Planning Your Steam Room

Your own personal steam bath at home: it is easier than you might have thought. And once you have it, you'll wonder how you ever did without.

Steam can be added to any shower by totally enclosing the space and covering the walls and ceiling with a waterproof surface material such as tile. The steam generator is very compact, which means it can be installed anywhere it won't be exposed to freezing temperatures – a basement, closet, cabinet or attic, for example.

Personal help with planning

Your Amerec dealer has extensive experience in the design and installation of home steam baths.

Tel. 442 563 8138 Tel. 998 704 0598 Most home steam baths are custom built on site. That means yours can be easily customized to your preferred size and shape – and with materials that match your tastes and bath décor (tile, stone, glass, etc.). You can also indulge in the added rewards of chromatherapy lighting and aromatherapy fragrance injection systems.

Everything you need to shape your personal steam bath retreat is available from Amerec.

www.amerec.com



To get started even faster, visit our online steam bath planning guide. We'll show you how easy and fast it can be to start enjoying the benefits of steam in 3 straightforward steps.



Quality and design

At Amerec, we understand the quality of your steam bath experience is directly related to the quality of the products we design. Steam is our specialty; we know how to create the perfect steam bath environment, because we appreciate and respect its long history as a healthy way to purify both body and mind.

In the steam bath business, the Amerec name is synonymous with quality and innovation. Over the years, we've built a reputation for providing leading products and services that make it easy to capture your moment daily – in a healthy, comforting and refreshing cloud of pure, clean steam.

The green effect

Pure, clean water is a source and nurturer of life. But it is not limitless – some estimates say that 38 states will have a severe shortage of clean water within the next few years. Steam baths are friendly to the environment because they consume small amounts of electricity and water. A typical steam bath costs only \$3 to \$5 more in electricity each month when used 3 times a week.

An America steam bath generator uses less than 2 1/2 gallons of water during one-half hour of operation. Compare this to jetted tubs that require 60 to 120 gallons of water to fill or a body spray system that consumes more than 100 gallons in 15 minutes.

Personal rejuvenation is not possible at the expense of peace of mind. With America steam baths, the environmental advantages of being good to yourself are clear.





AK GENERATOR

RESIDENTIAL STEAM GENERATOR

The soothing and purifying effects of steam bathing are a direct result of the bath's ability to minimize temperature variations and maintain an even flow of steam. Amerec AK generators were purpose-designed for home use, transforming your shower or bathing room into a daily invitation to comfort. An AK generator uses full power to quickly heat up the steam room to its preset temperature, then cuts power to half its elements. The result is a more consistent flow of soft steam and more stable temperature – the perfect conditions for relaxing and recharging whenever the mood strikes you.





ADK AUTOMATIC DRAIN OPTION

Your AK generator-powered steam bath can also be fitted with an optional automatic flushing system for added convenience and worry-free performance. The ADK automatic drain option empties the generator tank after every bath, and refills the tank with clean, fresh water before your next bath. In addition

to reducing sediment build up and providing longer element life, the ADK option ensures that the steam for each new bath is generated from pure, freshly-sourced water.

- Innovative "soft steam" elements maintain stable temperature and steam flow, ensuring a perfect steam bath experience every time
- Standard manual drain valve can be upgraded to the automatic drain option for added convenience and longer element life
- Easy to install and use
- Full 5 year parts and service warranty protects your investment and ensures years of trouble-free performance
- Available in a range of sizes and power configurations to ensure a consistent steam experience regardless of bathing room size or shape

AK SERIES GENERATOR					
Туре	Power (kW)	Volts	Phase	Max M ³	Size (WxHxL - inch)
AK4	4.0 3.0	240 208	1	2 15	6-1/4×13×16-1/2
AK5	5.0 3.7	240 208	ı	2.8 1.5	6-1/4×13×16-1/2
AK6	6.0 4.5	240 208	I	4.5 2.5	6-1/4×13×16-1/2
AK7	7.0 5.2	240 208	1	6 3	6-1/4×13×16-1/2
AK8.5	8.5 6.4	240 208	ı	8.5 5	6-1/4×13×16-1/2
AKI0	10.0 7.5	240 208	I	11 7	6-1/4×13×16-1/2
AKI2*	12.0 9.0	240 208	I	14 10	6-1/4×14×16-1/2
AKI4*	14.0 10.5	240 208	L	17 13	6-1/4×14×16-1/2
AK17**	17.0	240 208	-	20	-
AK20**	20.0	240 208	-	25	-
AK30***	30.0	240 208	-	38	-

^{*} Single phase AKI2 & AKI4 generators require 2 separate line circuits and 2 steam heads for each generator.

Please call 1-800-331-0349 or look at www.amerec.com for detailed electrical specifications.



"WARM START" INSTANT STEAM OPTION

Imagine being able to step into the gentle, healthy heat of cleansing steam within 60 seconds of turning the generator on. The "Warm Start" option keeps water in the tank preheated to a temperature just below a boil, reducing the time required to heat the bath by several minutes. And if you won't be using the steam bath for an extended period, a simple on/off switch lets you deactivate the pre-heating option to save on power consumption.



K200i Freedom Control

Now you can start, stop or adjust your steam bath from virtually anywhere within a 50' range. Amerec's remote K200i Freedom Control means no cables, no mounting, and no need to drill holes through expensive marble or tile. The K200i hand unit frees you to enjoy the very best steam bath experience possible.

^{**} AK17 & AK20 include 2 generators connected to function as 1 system with one 1 control.

^{***} AK30 includes three 3 generators connected to function as 1 system with 1 control.





Amerec offers a wide variety of control options for AK generators that let you tailor your own steam bath experience to your exact personal specifications. Each unit comes in your choice of metal cover finishes (polished chrome, polished brass, polished nickel, brushed nickel and oil-rubbed bronze). All kits include the Comfort Flo steam head and all the cables needed to connect the control to the generator.



- i Chromatherapy Lighting Option. Research has shown that different colors have varied psychological and physiological effects on us. This option, installed in the steam shower ceiling, provides color light therapy to enhance your feeling of health and well-being.
- Fragrance Injector. This option automatically infuses your favorite aromatherapy oil directly into the steam line. You control the intensity of the therapy using the K200i Control.
- EvenSteam™Air Circulation Fan Option. For steam bath ceilings over 8', this option circulates air to minimize temperature variations letting you enjoy the same full, rich sensation of steam comfort from top to bottom.



K200i Freedom Control

With the K200i Freedom Control, nothing gets between you and a perfect steam bath experience. Completely wire-free, the K200i lets you control every comfort aspect of your steam within a 50' radius. There are no cables to install, and no expensive or tricky drilling – set the timer and temperature, and know instantly when your steam bath is ready from almost any room in the home... including inside the steam room. Available in White, Biscuit and Gray.



Think of the Freedom...

- to turn on your steam bath from the comfort of your bed
- to enjoy a cup of coffee in the kitchen and still know at a glance when your steam bath temperature is exactly right
- to adjust your steam bath experience inside the shower, without having to get up
- from installing and dealing with messy cables
- from drilling holes through expensive tiles, marble or granite



KT60 – Digital Control with Built-In Temperature Sensor

- Digital display alternates between room temperature and time remaining
- 3-button panel with on/off, temperature setting and time duration setting
- adjustable up to 60 minutes
- Integral temperature sensor simplifies installation
- Must be mounted inside the steam room



K60 – Digital Control with Remote Mounted Temperature Sensor

- Digital display alternates between room temperature and time remaining
- 3-button panel with on/off, temperature setting and time duration setting
- adjustable up to 60 minutes
- Remote temperature sensor must be mounted inside steam room
- Can be mounted inside or outside the steam room



K30 – Digital Control with Remote Mounted Temperature Sensor

- Display window lights up when steam generator is on
- I-button on/off panel with built-in 30 minute timer
- Remote temperature sensor must be mounted inside steam room
- Can be mounted inside or outside the steam room



R30K – On/Off Non-Thermostatic Control

- Green indicator light tells bather the generator is on
- Simple on/off switch without temperature sensing
- Built-in 30 minute timer
- Can be mounted inside or outside the steam room

FINISH OPTIONS







Polished Brass



Polished Nickel



Brushed Nickel



Oil Rubbed Bronze

COMBINATIONS

KT60, K60 and K30 controls are available in dual control kits so one control can be mounted inside and the other outside the steam bath for user convenience.

DKT60 / K60





DKT60 / K30





DK60 / K60





DK60 / K30







AV VAPORMIST

RESIDENTIAL STEAM GENERATOR

The AV Vapormist generator is a compact shoe box-sized unit designed specifically to turn small showers into a personal oasis for rest, relaxation and rejuvenation. This 120V plug and play unit fits easily into almost any nearby space, such as a vanity, cabinet or nearby closet. Within 80 seconds of activation, your shower fills with clouds of soothingly warm steam and transforms into a welcoming personal wellness center. With the AV Vapormist, lack of shower space is no longer a barrier to taking advantage of the benefits of a daily steam.






PLUG AND PLAY

Experience the pleasure of steam with plug-in simplicity. Just plumb cold water to the unit, add a steam line to the shower space, plug the generator into a 120V, 20 amp outlet and your steam bath is ready to use. Vapormist generators are quiet, minimize water and energy consumption, and generate steam within 80 seconds of start up.



COST-EFFECTIVE COMFORT

With Vapormist, Amerec engineers have made steam bathing easier and more affordable than ever. Smaller than a shoe box (4"W x 7 1/2"H x 9 1/4"L), Vapormist is ideal for converting small shower enclosures into luxurious steam baths.



- Compact size fits anywhere and makes it affordable to turn even the smallest shower into a luxurious steam bath
- Plug and play simplicity whisper-quiet operation with no complicated installation or instructions
- Low power and water consumption saves money and is resource-friendly
- Full 5 year parts and service warranty, unmatched in the industry

VAPORMIST					
Туре	Power (kW)	Volts	Phase	Max M ³	Size (WxHxL - inch)
AV2 - WH*	2.0	120	1	2.26	4× 7 1/2× 9 1/4
AV2 - CP**	2.0	120	ı	2.26	4x 7 1/2x 9 1/4

^{*} With a white control unit



BE GOOD TO YOURSELF

Steam bathing is one of the single best ways to improve your overall well-being. The gentle, humid heat relaxes muscles and improves circulation with minimal stress on your cardiovascular system. Your whole body responds with a purifying sweat, flushing out dirt, toxins and dead skin cells. Open pores absorb pure, clean moisture, hydrating and rejuvenating skin. Breathing problems and obstructions clear up. A daily steam bath will help you both look and feel better, so you can always be at your best.



R30i Control

The attractive simplicity of the R30i control unit makes it perfect for managing your AV Vapormist steam spa. The R30i on/off control features a built-in 30 minute timer and can be mounted inside or outside the steam shower.

^{**} With a Chrome control unit

ACCESSORIES

RESIDENTIAL STEAM GENERATORS



We all have different criteria for measuring comfort. Amerec makes it easy to personalize your experience with a range of steam bath accessories that add to your sense of well-being. Whether you prefer the mood-soothing effects of soft color light, the peace of mind of cooled piping outlets or the ultimate convenience of an automatic drainage system, Amerec has a solution for making your steam bath exactly right for you.





Chromatherapy Lighting Option

Colors have a documented effect on our moods, and using colored light to enhance feelings of inner peace and well-being is now accepted practice.

Enhance the soothing and revitalizing effect of your steam bath with our ceiling-mounted color light therapy kit.



FC200 Power Control Unit

This unit is required when using one or more Amerec accessories with the K200i Freedom Control Unit.

EvenSteam™ Air Circulation Fan

In steam showers with a ceiling height over 8', temperature variations can occur from ceiling to floor. The EvenSteam Air Circulation Fan gently redistributes air and steam to provide even heat and comfort.





Comfort Flo Steam Head

The Comfort Flo Steam head is designed with a unique steam dispersion pattern that provides more even heat throughout the steam room and reduces the time required to reach the desired room temperature. Amerec Comfort Flo steam heads ensure each steam bath is a safe and pleasurable experience. Steam is delivered into the room through an internal Ryton plastic insulator, preventing the exterior metal surface from reaching high temperatures. The Comfort Flo steam head features a fragrance reservoir that allows the bather to enjoy the benefits of aromatherapy by dropping their favorite fragrance onto the reservoir.



Fragrance Injector Option

The injector eliminates the need to drop aromatherapy oils onto the steam head by introducing oils directly into the steam line. The K200i Control allows the bather to control the frequency and amount of aromatherapy oil pumped into the room.



"WARM START" INSTANT STEAM OPTION

- AK series generators are available with the optional 'warm start' feature that keeps water in the tank preheated to a temperature just below a boil. With the 'warm start' feature activated, steam begins flowing into the steam room in less than 60 seconds after the user turns on the generator, reducing the time required to heat the room to its desired temperature by several minutes. The "Warm Start" feature can be disabled with a simple on/off switch to eliminate unnecessary power consumption when the steam bath will not be used for extended periods of time.



Automatic Drain Valve

- Automatic Drain Valve for AK & 3K Series Generators



ADP Stainless Steel Drip Pan

- Designed for use with Amerec AK and 3K series steam generators. When properly installed and connected to an appropriate drain line, the ADP drip pan catches and drains away any water leaks. Features stainless steel construction with welded corners and a 3/4" stainless fitting.



White Relax Shower Seat

- The Relax shower seat is an affordable seating option for steam baths and showers. It provides bathers a place to relax and enjoy the soothing benefits of steam.

Constructed of easy to clean plastic, the Relax seat can be folded-up against the wall when not in use. Seat dimensions are 13" x 9".



Teak Shower Seat

Featuring the beauty and durability of Teak wood, this sturdy seat is an affordable seating option for baths and showers. The Teak seat provides bathers a place to relax and enjoy the soothing benefits of steam.
 Easy to clean, The Teak seat can be folded-up against the wall when not in use. Seat dimensions are 20" x 13".



ASX100 Single sump/cartridge system

 With replaceable cartridge featuring a ScaleX2 filter to reduce scale build-up and extend element life.



Fragrance, Eucalyptus

- Suprema Grade, 100% Pure.




3K SERIES

COMMERCIAL STEAM GENERATOR

Whatever the size of your facility, these days it is more important than ever to ensure customer comfort and satisfaction. Amerec's 3k Series steam generators help you create added value for guests cost effectively. Easy to maintain and service, the 3K Series steam generators are designed for use in smaller commercial steam baths that are operated for short, intermittent periods of time. Their relatively compact size means they can be fitted even when space is at a premium, allowing you to turn underused space into a wellness center that will be appreciated. At the same time, they are powerful enough to provide a steady flow of soft, gentle steam at even temperatures, ensuring maximum guest comfort.









POWERFULLY SMALL

Don't let the size of 3k Series steam generators fool you. Each provides more than enough power to heat and steam the room dimensions it was designed for. Yet their relatively compact size gives you storage options, letting you plan for more effective use of space at your facility.

TEAM WORK

3K Series generators are purpose-designed for easy coupling – multiple units can be connected together to effectively heat large steam rooms up to 1,500 cubic feet. The 3K Series makes maintenance and access very easy, and includes power-saving features that help keep electricity bills low.

- Compact yet powerful generators provide soft, even steam and dependable ongoing performance
- Easily coupled for large room applications, easy to control and service
- i Effective power and water consumption lets you provide a cost-effective guest amenity that will be appreciated
- We are happy to help advise you free of charge on the generator configuration that makes most sense for your facility simply call (998) 2 49 00 71

3K SERIES GENERATOR					
Туре	Power (kW)	Volts	Phase	Max M ³	Size (WxHxL - inch)
3K8	8.0	208	3	8.5	6-1/4×13×16-1/2
3K10	10.0	208	3	11	6-1/4×13×16-1/2
3K12*	12.0	208	3	14	6-1/4×14×16-1/2
3K14*	14.0	208	3	17	6-1/4×14×16-1/2
3K20**	20.0	208	3	22	-
3K24**	24.0	208	3	28	-
3K28**	28.0	208	3	34	-
3K36***	36.0	208	3	42	-

^{* 2} steam heads are recommended for 3KI2 and 3KI4 generators.

Multiple unit ganged systems require I steam head for each generator. Heads must be ordered separatetly. Multiple unit ganged systems require I drain valve kit for each generator. Please call I-800-33I-0349 or look at www.amerec.com for detailed electrical specifications.



COMFORT FLO STEAM HEAD.

The Amerec Comfort Flo steam heads add comfort and safety to your steam bath. Steam passes through a plastic insulator, preventing the exterior metal surface from getting too hot. The Comfort Flo steam head also features a fragrance reservoir that lets you enjoy the proven benefits of aromatherapy – simply add a few drops of your favorite scent to personalize an even more enriching steam bath experience.





K60 / K30 Controls

K60/K30 controls make it easy to control the most important features of your steam baths. Both versions can be mounted inside the steam room or out, and offer intuitive, easy to understand controls for features such as temperature control, on/off and timer setting.

^{** 3}K20, 3K24 & 3K28 include 2 generators connected to function as 1 system with 1 control.

^{*** 3}K26 includes 3 generators connected to function as 1 system with one 1 control.



AI SERIES

COMMERCIAL STEAM GENERATOR

Al boilers are the generators of choice for large commercial steam rooms, and can help you create an inviting, relaxing environment that adds real value and generates positive word of mouth and returns for your business. The Al Series is specially designed for easy on-site maintenance and hands-off, automated operation. From their corrosion-resistant exteriors to their multiple safety features, Al boilers provide a welcome, genuine steam bath experience at less cost and with less hassle.





BUILT TO LAST

Al boilers feature all-steel construction with powder coat exterior, brass fittings and stainless steel feet to prevent corrosion. Designed to minimize downtime, Al boilers are easy to access and service, while integrated diagnostic systems alert you to any problems using LED indicator lights.



- Powerful dependable steam generation for large commercial spaces
- One or two room operation, each controlled individually by low voltage on/off switches for maximum ease of use
- Low service and maintenance requirements, saving time and other costs
- ASME H-Stamped Low-Pressure Vessel, National Board Registered
- UL Listed

AK SERIES C	AK SERIES GENERATOR				
Туре	Power (kW)	Volts	Phase	Max M ³	Size (WxHxL - inch)
AI 12*	12	-1	-	15	6-1/4×13×16-1/2
Al 18*	18		-	25	6-1/4×13×16-1/2
AI 24*	24	-	-	34	6-1/4×13×16-1/2
AI 30**	30	-1	3	42	6-1/4×13×16-1/2
AI 36**	36		3	50	6-1/4×13×16-1/2
AI 42**	42	-1	3	59	6-1/4×13×16-1/2
AI 48***	48	-:	3	68	6-1/4×14×16-1/2

- * Available in 208 V and 240 V in 1 phase and 208, 240, 415 and 480 V in 3 phase.
- ** Available in 208, 240, 415 and 480 V in 3 phase.
- *** Available in 240, 415 and 480 V in 3 phase.

It is recommended that one steam head is installed for every 12kW.



PROTECTING YOUR INVESTMENT

Al boilers come with multiple safety features to minimize service costs and downtime. An automatic switch turns boiler elements off if they reach a critical temperature point, preventing them from burning out. Additional standard features include water level sight glass, 3-level water sensing system with optional low water cut off and high pressure cut off.



ITI / IT2 Controls

IT thermostats (I-I room installations, 2-2 room installations) are boiler-mounted time and temperature controls designed to be easy-to-understand and use. A separate thermostat is required for each steam room.

CONTROLS AND ACCESSORIES

COMMERCIAL STEAM GENERATORS

Being able to consistently offer your customers the highest quality steam bath experience is always a good investment. With additional controls and time and cost-saving accessories, you can enhance quality even further while minimizing maintenance time, effort and expenses.



ITI

- Thermostat for I room installation
- Remote or boiler mounted.
- Required with each boiler.



IT2

- Thermostat for 2 room installation
- Remote or boiler mounted.



IDS

- In-Room"Refresh" control for a quick burst of steam delivered on demand.



160

- 60 MinuteTimer to control steam flow in steam rooms with intermittent use.



124/7

- 7-DayTime Clock with 2 hour on/off segments.



124/1

- 24-HourTime Clock with 30 minute on/off segments.



D24/7

- 24-Hour 7 Day Digital Time Clock with Battery Back Up.



ADI CoolFlush™

A drain and flush system that automatically performs recommended daily draining and flushing of the boiler tank to reduce build-up of solids such as scale and sludge. Uses a computer controlled drain cycle to add and drain water in steps, rinsing the tank and draining water at or below 140° F. Available with optional Digital Run Clock.



Al Outlet 3/4"

- Polished Chrome steam head for use with Al series boilers.



Diffuser

 Acrylic Steam Diffuser - this opaque diffuser prevents hot steam from moving across the shower floor and causing bather discomfort.



ASXI00 Single Cartridge Scale-X Filter System

 With replaceable cartridges featuring a ScaleX2 filter to reduce scale buildup common in boilers.



ASX200 Dual Sump/Cartridge System

 with replaceable cartridges featuring a ScaleX2 filter to reduce scale buildup common in boilers. The ASX200 will also reduce chlorine and sediment from water by trapping particulates in a second filter as water passes through.

Club 190 Steam Door

The steam door features I/4" tempered glass with a sturdy aluminum frame, excellent for high volume use commercial applications. Optional I" insulated glass panel provides increased thermal efficiency. Push-pull handles and hydraulic closer included.





MODULAR STEAM ROOMS

COMMERCIAL OR RESIDENTIAL INSTALLATIONS.

Elysee and Excellent modular acrylic steam rooms are made of high-tech, vacuum-formed special grade white acrylic material for a rigid, steam-tight construction. Supplied in ready-to-assemble wall and roof sections and comfortable seating. The door is made from tinted, tempered safety glass in a sturdy frame with handles of anodized aluminum. These luxurious steam rooms are a perfect complement to public bathing facilities in hotels, spas, fitness centers and gyms.



Elysee Modular Acrylic Steam Rooms

- Constructed of white, high-gloss, easy to clean panels that provide a bright bathing environment.
- Extra wide 35-1/2" tinted safety glass door with flat sill (no raised threshold) and anodized aluminum handles.
- Integral recessed LED light installs above each seat section to provide subdued lighting.
- Smoked, termpered safety glass front wall in a frame of anodized aluminum.
- Exterior surface and floor not provided.

ELYSEE MODULAR ACRYLIC STEAM ROOMS				
Туре	Steam room	Cubic feet	Size (WxHxL - inch)	
EL-4F-GF Elysee	4-Persons	220	83.5 × 52.75 × 81.5	
EL-6F-GF Elysee	6-Persons	320	83.5 × 76 × 81.5	
EL-8F-GF Elysee	8-Persons	490	83.5 × 99.25 × 81.5	

Please select an appropriate sized AK, 3K or Al generator and controls based upon Elysee room cubic footage.



Excellent Modular Acrylic Steam Rooms

- Constructed of white, high-gloss, easy to clean panels that provide a bright bathing environment.
- Extra wide 35-1/2" tinted safety glass door with flat sill (no raised threshold) and anodized aluminum handles.
- Wide, comfortable benches in white lacquered aluminum.
- Exterior surface and floor not provided.

EXCELLENT MODULAR ACRYLIC STEAM ROOMS				
Туре	Steam room	Cubic feet	Size (WxHxL - inch)	
EX-8FL Excellent	8-Persons	320	83.5 × 76 × 81.5	
EX-12FL Excellent	I 2-Persons	490	83.5 × 99.25 × 81.5	

Please select an appropriate sized AK, 3K or AI generator and controls based upon Excellent room cubic footage.





En EquipSpa nos enorgullecemos por dar un servicio excepcional, Nuestro personal altamente calificado responderá cualquier duda que usted tenga y lo podrá asesorar con la plantación y la instalación de su equipo de vapor o Baño Sauna.

Para mas informacion.

Tel. 442 563 8138 Tel. 998 704 0598

